




Tohono O'odham Nation Health Care (TONHC)

COVID-19 Situation Update: September 9, 2020

T-Ñukuda Ha'icu Cihañig

This is a rapidly evolving situation. Information is based upon data as of September 9, 2020 at 7:00 and may change as more data becomes available.

COVID-19 Data among Members of Tohono O'odham Nation



COVID-19 Contacts Interviewed

1,344


All Pima County COVID-19 School Reopening Benchmarks Met (9/10/20)

COVID-19 Incidence Rate among TON members residing in the Tohono O'odham Nation

2,321 per 100,000

Arizona

2,873 per 100,000




Benchmark Met


- 1 a) Decline in cases: Met or
- 1 b) Less than 100 cases per 100,000 individuals for two consecutive weeks: Met



- 2) Two consecutive weeks with percent positivity below 7%: Benchmark Met




- 3) Two consecutive weeks with hospital visits for COVID-like illnesses in the region below 10%: Benchmark Met



Incidence rate is the number of new cases of COVID-19 in the population over a specified period of time. This allows comparison of areas with different population sizes. Population size is from <http://www.tonation-sn.gov/districts/> (Fall 2016), accessed 8/26/20.

Confirmed COVID-19 Cases and Deaths by Date among Enrolled Tohono O'odham Nation Members, 2020



7-day average is the average of cases for that day and the 6-days prior

What's NEW?

The COVID-19 pandemic is not yet under control in Arizona or the Tohono O'odham Nation. Although daily case counts in Arizona are decreasing, we continue to have community-wide transmission. Please continue public health efforts to control the spread, such as:

- Staying home as much as possible
- Hand hygiene
- Physical distancing
- Wearing a mask/face covering when physical distancing is not possible

TONHC is a safe place for care. Your health and wellness is important to us. Our mission is to provide healthcare with a focus on quality, safety, and trust. TONHC is following all national and local guidelines during the COVID-19 pandemic to ensure that our facilities are number one in safety. We invite you to schedule a Primary Care, Same Day visit, or Testing Appointment today.


TONHC Situation Update 9/9/2020 7:00

Wear a mask, physically distance, and wash your hands to protect Tohono O'odham Nation

	Enrolled Member of Tohono O'odham Nation	Pima County	Arizona
Total Cases	509	22,071	206,541
Incidence Rate (per 100,000)	2,321 (in TON)	2,113	2,873
Number Deaths	26	596	5,251
Deaths (% of total cases)	5%	3%	3%
Number Hospitalized	91	2,034	21,593
Hospitalized (% of total cases)	18%	9%	10%


4,237 COVID-19 Tests Performed at TONHC

COVID-19 Tests Performed at Tohono O'odham Health Care by Result, 2020



7-day average is the average of cases for that day and the 6-days prior

TONHC COVID-19 Test Percent Positivity 7-day Average, 2020




Weekly test percent positivity is calculated using the day tests were performed and 6-days prior (7-day detected "positive" results)/(7-day total tests performed) x 100%


Arizona Department of Health Services Benchmarks

Benchmarks	Minimal	Moderate	Substantial
Cases	<10 cases/100,000	10-100 cases/100,000	>100 cases/100,000
Percent Positivity	<5%	5-10%	>10%
COVID-like illness	<5%	5-10%	>10%


AZ COVID-19 Cases by Race/Ethnicity



Number of Inpatient Beds in Use in AZ (79% in use on 9/8/20)




Number of Intensive Care Unit (ICU) Beds In Use in Arizona (75% in use 9/8/20)




Arizona (AZDHS): 5,251 deaths, Updated September 9, 2020

COVID-19 Deaths by Date in Arizona



AZ COVID-19 Deaths by Race/Ethnicity (9/2/2020)



TONHC Situation Update 9/9/2020 7:00

Wear a mask, physically distance, and wash your hands to protect Tohono O'odham Nation

Tohono O’odham Nation COVID-19 Positive Case Information

	Enrolled Member of Tohono O’odham Nation	Enrolled Member of Another Tribe or Other	Total
Residing within Boundaries of Tohono O’odham Nation	303	21	324
Residing outside Boundaries of Tohono O’odham Nation	205	69	274
Unknown residence	1	0	1
Total	509	90	599

509 members of the Tohono O’odham Nation have tested positive* for COVID-19 (as of 9/9/20 at 7:00). On 9/2/2020 there were 508. This represents a **<1%** increase over the last week.† The number of positive cases is **7X** the number 13 weeks ago (72 on 6/9/2020).


Week (2020)	Cumulative COVID-19 Cases Among Enrolled Tohono O’odham Tribal Members	Absolute Change [§] in Cumulative Case Counts from Previous Week
June 24th – June 30th	189	
July 1st – July 7th	241	52
July 8th – July 14th	297	56
July 15th – July 21st	320	23
July 22nd – July 28th	363	43
July 29th – August 4th	415	52
August 5th – August 11th	456	41
August 12th – August 18th	486	30
August 19th – August 25th	498	12
August 26th – September 1st	508	10
September 2nd – September	509	1

303 members of the Tohono O’odham Nation who tested positive reside in the Tohono O’odham Nation. On 9/2/2020 there were 299. This represents a **1%** increase† over the last week. The number of persons who reside in the Tohono O’odham Nation and tested positive for COVID-19 is **12.6X** the number 13 weeks ago (24 cases on 6/9/2020).

Week (2020)	Cumulative COVID-19 Cases Among Enrolled Tohono O'odham Tribal Members Residing within the Tohono O'odham Nation Boundary	Absolute Change ^s in Cumulative Case Counts from Previous Week
June 24th – June 30th	82	
July 1st – July 7th	106	24
July 8th – July 14th	148	42
July 15th – July 21st	168	20
July 22nd – July 28th	193	25
July 29th – August 4th	227	34
August 5th – August 11th	256	29
August 12th – August 18th	285	29
August 19th – August 25th	294	9
August 26th – September 1st	299	5
September 2nd – September 8th	303	4

Changes due to added cases and reclassification of residence

Confirmed COVID-19 Cases and Deaths by Date among Enrolled Tohono O'odham Nation Members, 2020



7-day average is the average of cases for that day and the 6-days prior

This is consistent with a surge in cases beginning approximately 6/15/2020.

- **371** members are recovering (among members of the Tohono O'odham Nation) [¶]
- **26** deaths among members of the Tohono O'odham Nation and **3** members of another tribe.
- **1** death in hospital in Tohono O'odham Nation, **28** in hospitals outside the Tohono O'odham Nation.

TONHC Situation Update 9/9/2020 7:00

Wear a mask, physically distance, and wash your hands to protect Tohono O'odham Nation


*COVID-19 positive result means COVID-19 test result of “detected”.

†Defined as percentage change (most recent number – previous number)/previous number * 100

§Absolute change in cumulative case count is the number of cumulative cases through week 2 subtracted from the number of cumulative cases through week 1, |week2 – week1|

¶Recovering is defined as having diagnosis/symptom onset 14-days ago, improving, and no longer hospitalized.


Region of Residence for COVID-19 Cases among Members of the Tohono O'odham Nation



Some areas are <1%

7/22/2020 was the first week that the percentage of persons residing in the Tohono O'odham Nation was over 50% of the cases.

Age Distribution of COVID-19 Cases among Tohono O'odham Members, 2020



Laboratory-confirmed COVID-19 among Tohono O'odham Nation Enrolled Members, 2020

	Count (n)	Percent (%)	State of Arizona Percent (%)
TON members tested positive for COVID-19	509		
Asymptomatic/Pre-symptomatic	52	10%	
TON Reside in Reservation	303	60%	
Hospitalized	91	18%	10%
Recovering	371	73%	
Died	26	5%	3%

	Median (years)	Minimum (months)	Maximum (years)
Age	36	6	93

	Male	Percent (%)	Female	Percent (%)
Sex	208	41%	301	59%

At TONHC, we received the first presumptive positive test result for COVID-19 for a patient seen at San Xavier Health Center in the same day clinic on 3/30/2020. In response, we reached out to clinical staff and the patient/household/community to discuss exposure risk, how to monitor for symptoms, and help guide any recommendations for isolation or quarantine. We anticipate more cases in the future, and we are working together to tackle this challenge. Employee health has reached out to staff for contact tracing. Public health nursing has conducted community contact tracing. Please remember to keep patient and employee results confidential.

COVID-19 Laboratory Testing at TONHC

TONHC total number of COVID-19 testing (as of 9/9/2020 at 7:00): **4,237** tests performed:


- 3,910 = patients (anyone who receives care at a TONHC facility)
- 297 = employees
- 30 = first responders or other critical infrastructure workforce

We continue to increase our testing capacity. On 9/2/2020, there were 4,109 tests.

As of 9/9/2020, **431** tests results were positive* for COVID-19. On 9/2/2020, there were 426 tests. The number of positive test results are **11X** the amount compared to 13 weeks ago (since 6/9/2020). 38 total tests were positive on 6/9/2020.


Week (2020)	TONHC Cumulative Positive COVID-19 Test Results	Absolute Change [†] in Positive Test Results from Previous Week
June 24th – June 30th	153	
July 1st – July 7th	202	49
July 8th – July 14th	251	49
July 15th – July 21st	278	27
July 22nd – July 28th	302	24
July 29th – August 4th	342	40
August 5th – August 11th	382	40
August 12th – August 18th	403	21
August 19th – August 25th	416	13
August 26th – September 1st	426	10
September 2nd – September 8th	431	5

10 TONHC employees have tested positive.



7-day average is the average of cases for that day and the 6-days prior


COVID-19 Positive Tests Performed at Tohono O'odham Health Care by Result, 2020




7-day average is the average of cases for that day and the 6-days prior

COVID-19 testing began at TONHC on March 23, 2020. There is now same-day testing at San Xavier, Sells, and San Simon. This means all the equipment to run the tests are in the clinic laboratories at San Xavier, Sells, and San Simon. We began on-site same-day testing on April 20, 2020. There are two types of tests: send-out test or same-day/rapid test. We are currently using the on-site same-day testing for all patients (5/21/2020) as there is a delay in send-out labs due to high volume. Send-out testing is still used for specific cases. As of 9/1/2020 on-site qualitative total antibody testing is available in specified cases.

COVID-19 Tests Performed at Tohono O'odham Health Care by Type, 2020



TONHC COVID-19 Test Percent Positivity 7-day Average, 2020



* Weekly test percent positivity is calculated using the day tests were performed and 6-days prior (7-day detected “positive” results)/(7-day total tests performed) x 100%

We are strategically expanding testing. We performed a testing clinic on Saturday 6/20/20 and 6/24/20, and in collaboration with TON unified command performed a drive-through clinic for asymptomatic testing on 7/8/2020 and 8/13/2020. We have 9 on-site Abbott ID NOW™ machines that are used for same-day testing. We are pursuing avenues for more testing machines for on-site testing. In addition to expand our testing capabilities, medical assistants at TONHC completed competencies in performing COVID-19 nasal swab testing to assist with performing testing.

As of 7/6/2020, we further expanded COVID-19 testing at TONHC, and are testing:

- Anyone with any symptom of COVID-19 (such as cough, fever, headache, loss of smell or taste, or diarrhea, etc.).
- Anyone exposed to COVID-19 who has no symptoms. We are testing 5–14 days after a known or suspected COVID-19 exposure. Exposure is defined as meeting these 3 criteria:
 - Exposure to person who tested positive for COVID-19 during period from 48 hours before onset of symptoms OR 48 hours before positive specimen collection on asymptomatic person until meets criteria for discontinuing home isolation (minimum 10 days after positive test) AND
 - Close Contact within 6 feet AND
 - Length of time of exposure: 15 minutes* OR direct contact with infectious secretions (e.g. being coughed on) OR performing aerosol-generating procedure without wearing appropriate PPE for any duration.
- All people who are being admitted to group settings (such as children’s home, group homes, correctional facilities, etc.)
- People who are being admitted to the hospital (such as for surgery or childbirth). We have the testing guidance for many local hospitals.

If you have a question on whether you may qualify for testing, please call your clinic. We are happy to answer any questions. **Please call ahead** and we will schedule individuals who qualify for COVID-19 testing.

Please note testing criteria is accurate as of 7/7/2020 and may change in the future.

*COVID-19 positive result means COVID-19 test result of “detected” for tests performed at TONHC (San Xavier, San Simon, Sells, and off-site).

†Absolute change in cumulative case count is the number of cumulative cases through week 2 subtracted from the number of cumulative cases through week 1, |week2 – week1|

TONHC Situation Update 9/9/2020 7:00

Wear a mask, physically distance, and wash your hands to protect Tohono O’odham Nation

Arizona COVID-19 School Benchmarks

The Arizona Department of Health Services (ADHS) recommends county-specific public health benchmarks to be in the moderate or minimal transmission category in all three benchmarks for two weeks in order to provide Hybrid (virtual and in-person) learning.

The ADHS further defines community spread levels with the thresholds outlined below. These thresholds are consistent with the national standards set by the Coronavirus Task Force.

The ADHS Schools Toolkit defines community spread levels with the thresholds outlined below.

- **CASES:** a two-week decline in the number of cases OR a two-week of a case rate of less than 100 cases per 100,000 population within the county;
- **PERCENT POSITIVITY:** for initial opening, two weeks of percent positivity less than 7% within the county; and
- **COVID-LIKE ILLNESS (CLI):** two weeks with hospital visits due to CLI below 10% within the region.

Arizona Department of Health Services, <https://www.azdhs.gov/preparedness/epidemiology-disease-control/infectious-disease-epidemiology/index.php#novel-coronavirus-schools>, accessed 8/26/20.


All Pima County COVID-19 School Reopening Benchmarks Met (9/10/20)

Benchmark Met


- 1 a) Decline in cases: **Met** or
 1 b) Less than 100 cases per 100,000 individuals for two consecutive weeks: **Met**



- 2) Two consecutive weeks with percent positivity below 7%: **Benchmark Met**



- 3) Two consecutive weeks with hospital visits for COVID-like illnesses in the region below 10%: **Benchmark Met**



Benchmarks	Minimal	Moderate	Substantial
Cases	<10 cases/100,000	10-100 cases/100,000	>100 cases/100,000
Percent Positivity	<5%	5-10%	>10%
COVID-like Illness	<5%	5-10%	>10%

Local Surge in TON in COVID-19 Cases

As of 6/15/2020, we have detected a surge in cases in the Tohono O'odham Nation. This means there is a sudden upward trend in the number of cases. Our team strongly recommends to continue prevention measures including avoiding all unnecessary travel and gatherings. We also recommend the use of masks/cloth face coverings for all persons in public settings. Please continue to share the messaging of minimizing group contact, including neighbors and relatives not in one's own household.

Our testing algorithms aim to identify symptomatic persons, asymptomatic persons with known potential COVID-19 exposures, and persons who will enter high-risk or congregate settings (surgery, detention, foster care, hospitalization, dorms, etc.).

We all need to do our part and to continue to practice physical distancing and frequent hand hygiene.

Please share with community members:



Stay at home as much as possible



Practice physical distancing (remaining at least 6 feet away from others)




Clean your hands often

The best way to prevent illness is to avoid being exposed to this virus. These simple actions will lessen your chances of catching COVID-19 and spreading it to others:



- Everyone should wear a mask/cloth face covering in public when physical distancing of 6 feet is not possible (except children ages less than 2 years and persons with a medical contraindication).
- Limit direct physical contact to only persons who live in the same household.
- Avoid all group activities/gatherings, even relatives if they do not live with you until further notice.
- Maintain "stay at home" behavior except for essential needs.
- Report illnesses and possible COVID-19 exposures immediately to your provider.
- Frequently wash hands with soap and water, and use alcohol-based hand sanitizer if unable to wash hands.



Symptoms to Monitor



Monitor for the following COVID-19 symptoms: fever, chills, cough, difficulty breathing (shortness of breath), runny/stuffy nose, sore throat, headaches, fatigue, abdominal pain, vomiting, diarrhea, new loss of taste or smell. If you have any of these symptoms, please stay home and do not go to work, school, or be in public areas.

Face Mask Guidance: All employees at TONHC must wear a surgical facemask while at work. For patients and visitors coming to TONHC, please wear your own cloth face covering upon arrival to the facility. If not available, you will be offered a facemask (if symptomatic) or cloth face covering.

When in the community setting (when not working at TONHC) here are three key things to consider when choosing or making a cloth face covering.

1. **Multiple Layers.** Mask effectiveness has been shown to improve when multiple layers of fabric are used.
2. **Effective Fabric.** Regarding what type of mask to wear, it has been shown that mask efficiency improves when multiple layers of fabric are used (such as high thread count cotton) and when using fabric combinations. For example, filtration efficiencies of hybrid materials (such as cotton–silk, cotton–chiffon, cotton–flannel) was >80-90%. Cotton performs better at higher weave densities (i.e., thread count). Gaps caused by improper mask fit can decrease effectiveness significantly, so having a good fit is very important.
3. **Good Fit.** Gaps caused by improper mask fit can decrease effectiveness significantly so having a good fit is very important.

Who should NOT use cloth face coverings: children under age 2, or anyone who has trouble breathing, is unconscious, incapacitated or otherwise unable to remove the mask without assistance.

Adapted from Maricopa guidance, <https://www.maricopa.gov/5489/Protect-Yourself-and-Others>, accessed 6/18/20.

 CLOTH FACE MASKS <ul style="list-style-type: none">• Recommended by CDC for use in public• Effective at reducing spread of COVID-19• Most effective when they fit snugly over the nose and mouth, use a thick material, multiple layers, and a poly-cotton blend 	 FACE SHIELDS <ul style="list-style-type: none">• Not recommended by CDC without a cloth face mask• Not proven to reduce spread of COVID-19• Should wrap around the sides of the wearer's face and extend below the chin 
 NECK GAITERS/BANDANAS <ul style="list-style-type: none">• Convenient to take on and off• Less effective at preventing droplet spread• If used, should consider thicker materials, folding them to create multiple layers, and a poly-cotton blend 	 VALVE MASKS <ul style="list-style-type: none">• Easier to exhale• Puts others at risk from wearer's respiratory droplets that shoot out of the valve• Specifically excluded from allowable masks under Maricopa County mask mandate 

INFORMATION & UPDATES: [MARICOPA.GOV/COVID19](https://www.maricopa.gov/COVID19) 

Updated COVID-19 GUIDANCE ON HOME ISOLATION

The Centers for Disease Control and Prevention (CDC), the Arizona Department of Health Services, and Tohono O'odham Nation Health Care updated guidance on home isolation. Accumulating evidence supports ending isolation and precautions for persons with COVID-19 using a symptom-based strategy. Researchers have reported that people with mild to moderate COVID-19 remain infectious no longer than 10 days after their symptoms began, and those with more severe illness or those who are severely immunocompromised remain infectious no longer than 20 days after their symptoms began. Therefore, CDC has updated the recommendations for discontinuing home isolation.

CDC guidance, <https://www.cdc.gov/coronavirus/2019-ncov/hcp/disposition-in-home-patients.html>, accessed 7/29/20.

TONHC Situation Update 9/9/2020 7:00

Wear a mask, physically distance, and wash your hands to protect Tohono O'odham Nation

If you tested positive for COVID-19, you need to stay in ISOLATION:

- If you tested positive for COVID-19 or are waiting for results, you should be in **isolation**. Isolation means you need to stay away from others as much as possible. You should stay in a specific “sick room,” if possible, and away from other people in your home.
- If you cannot separate from others at home, you should wear a mask.
- Do not attend work, school, be in public areas, or use public transportation.
- Do not share household items like dishes, cups, eating utensils, and bedding.
- Cover coughs and sneezes with a tissue or your elbow. Throw away used tissues in the trash and wash your hands.
- Avoid touching your eyes, nose, and mouth.
- Wash your hands often with soap and warm water for at least 20 seconds.
- Clean high-touch surfaces (tables, doorknobs, light switches, countertops, handles, desks, phones, keyboards, toilets, etc.) daily.
- Reschedule all non-essential medical appointments.
- If you need medical care, call your provider **before going**, and tell them about your illness.

The number of days you should isolate at home depends on your SYMPTOMS, how SICK you were, and whether you are SEVERELY IMMUNOCOMPROMISED.

Please **look at the chart on the back of this sheet** to help you figure out how long you should stay isolated at home.

- 1) If you **had any symptoms** consistent with COVID-19 **and** had **mild or moderate illness**, you should isolate at home until:
 - At least 10 days have passed since your symptoms first started **and**
 - At least 24 hours have passed since your fever resolved (without the use of medication) **and**
 - Your other symptoms have improved.
- 2) If you **had any symptoms** consistent with COVID-19 **and** had **severe or critical illness** **or** are **severely immunocompromised**, you should isolate at home until:
 - At least 20 days have passed since your symptoms first started **and**
 - At least 24 hours have passed since your fever resolved (without the use of medication) **and**
 - Your other symptoms have improved.
- 3) If you **did not have any symptoms** consistent with COVID-19, you should isolate at home until;
 - 10 days have passed since your first COVID-19 test was done.
- 4) If you **did not have any symptoms** consistent with COVID-19 **and** are **severely immunocompromised**, you should isolate at home until:
 - 20 days have passed since your first COVID-19 test was done.

Contact your healthcare provider or Public Health Nursing for any questions.


Guidance may change as new information becomes available. Please look for the most up-to-date recommendations.

TOHONO O'ODHAM NATION HEALTH CARE

Updated 7/27/2020 (subject to change)



How long should I isolate at home if I **tested positive** for COVID-19?



Guidance may change as new information becomes available. Please look for the most up-to-date recommendations.


TOHONO O'ODHAM NATION HEALTH CARE

Updated 7/27/2020 (subject to change)




Sells Emergency Department Syndromic Surveillance


Syndromic surveillance refers to detection of indicators that are discernible before confirmed diagnoses are made. For example, an increase in the number of patients seen with respiratory symptoms could be an indicator of COVID-19. There were between 2 to 5 patients seen daily in Sells Emergency Department with respiratory symptoms during the week of 9/2/20–9/8/20. Same-day COVID-19 testing began on 4/20/20. From 9/2/20–9/8/20, between 19 and 29 patients were seen each day in the emergency department.




As of 9/8/2020, there was 1 admission to Sells Hospital and 28 outside transfers for respiratory symptoms from Sells Emergency Department. The number of patients transferred from the emergency department to hospital inpatient units helps to identify severity of disease among the population. This is a level of disease severity that requires a higher level of care, such that care must be managed in the hospital (e.g. with oxygen, mechanical ventilation, etc.).

Patients Presenting with Respiratory Illness and Number of Patients Transferred/Admitted from Emergency Department to Inpatient Hospital, Sells Emergency Department, 2020





We have increased our weekly number of tests in the emergency department. Asymptomatic tests are performed on people who have no symptoms (no cough, no diarrhea, no fever, etc.). Symptomatic tests refer to tests performed on people who have symptoms (cough, fever, diarrhea, etc.) of COVID-19.



The week of 9/2/20–9/8/20, 0 people seen in the emergency department tested positive for COVID-19. The last positive test result in the emergency department was on 8/26/20 (through 9/8/20).

EMPLOYEE HEALTH

241 TONHC employees (292 encounters) have been evaluated by employee health for respiratory symptoms related to illness or other reasons (as of 7:00 9/9/2020).

11 TONHC employees are currently sick including 5% of TONHC nurses and 0% of medical providers (as of 7:00 9/9/2020).

10 employees tested positive for COVID-19. There has been no known employee-to-employee transmissions or patient-to-employee transmissions at TONHC. Each positive result has prompted an internal and external investigation and contact tracing. Based on these investigations, transmissions were more likely due to community spread. Employees possibly exposed are tested for COVID-19.


All employees are required to contact Employee Health with any call-outs. This is to ensure that employees are tested for COVID-19 if sick or exposed and given appropriate guidance on when to return to work. Employees are also required to contact their supervisor when they call out.

TONHC Infection Control

Infection control prevents or stops the spread of infections in healthcare settings. TONHC COVID-19 infection control team monitors, tracks, and provides guidance on personal protective equipment (PPE such as gowns, gloves, face shields, N95 respirators).

- At the San Xavier, Sells, and San Simon Health Care Centers, the Battelle CCDS Critical Care Decontamination System™ is being used to decontaminate N95 respirators using concentrated, vapor phase hydrogen peroxide (Emergency Use Authorization (EUA) issued by US Food and Drug Administration (FDA).
- Staff caring for patients are wearing eye protection and procedure/surgical mask.
- Staff caring for patients that have or may have been exposed to COVID-19 are wearing gowns, gloves, face shields or other eye protection, and N95 respirators or Powered Air Purifying Respirators (PAPRs).


CLINIC – SAN SIMON



Some data are missing the month of August 2020


A “first check” is asking questions such as about loss of smell or taste, sore throat, fever, cough, and/or difficulty breathing when anyone is entering the clinic or hospital grounds. First checks includes employees and patients. As first checks are with entry, they occur multiple times per day for some people. The number of first checks is the number of times questions of respiratory symptoms were asked.


2 patients from San Simon Clinic were admitted to the hospital for respiratory symptoms.



Some data are missing the month of August 2020


These are the number of tests for COVID-19 performed on patients that have no symptoms of COVID-19 (no fever, no cough, no difficulty breathing, etc.). They are performed on people who have had exposure to COVID-19, are entering a congregate setting, or are going to be admitted to the hospital.






Some data are missing the month of August 2020

CLINIC – SAN XAVIER



Some data are missing the month of May 2020 and August 2020


Number of Patients seen at San Xavier Respiratory Clinic, 2020



Some data are missing the month of August 2020


16 patients were seen in the same day respiratory clinic and transported to the hospital from San Xavier clinic.

Number of Asymptomatic COVID-19 Tests Performed at San Xavier Respiratory Clinic, 2020




Some data are missing the month of August 2020


These are the number of tests for COVID-19 performed on patients that have no symptoms of COVID-19 (no fever, no cough, no difficulty breathing, etc.). They are performed on people who have had exposure to COVID-19, are entering a congregate setting, or are going to be admitted to the hospital.




As of August 5, 2020, San Xavier Health Care Center has a drive-up pharmacy for patients to pick-up their pharmacy prescriptions.



Some data are missing the month of August 2020




15 patients seen were transferred to the emergency room, 5 patients were directly admitted to the hospital. 3/21/20 and 3/22/20 included patients seen in the emergency department.



These are the number of tests for COVID-19 performed on patients that have no symptoms of COVID-19 (no fever, no cough, no difficulty breathing, etc.). They are performed on people who have had exposure to COVID-19, are entering a congregate setting, or are going to be admitted to the hospital.

Sells Clinic and Hospital Number of Pharmacy Prescription Pick-ups, 2020



As of August 25, 2020, Sells Health Care Center has a drive-up pharmacy for patients to pick-up their pharmacy prescriptions.

SELLS INPATIENT UNIT

To minimize possible exposure and conserve personal protective equipment, visitors are not allowed on the inpatient wards. Exceptions are for a minor, woman in labor, and special circumstances. In accordance with state enhanced surveillance advisory related to COVID-19, daily information has been reported to Arizona State using EMResource.

1 patient was admitted to Sells Hospital who tested positive for COVID-19. Inpatient, in-hospital transportation, and postmortem protocols have been developed. Every patient admitted to the inpatient unit of Sells hospital is tested for COVID-19.

Med/Surge Bed Availability – 10 (9/9/20)

Med/Surge Bed Capacity – 12, with 7 additional beds available if needed for emergency situations

No intensive care unit services

Negative Pressure Rooms – 2 inpatient rooms, 1 in emergency department (inpatient rooms are used by emergency department or other clinics when indicated).

For all transfers outside of TONHC we are calling the Arizona Surge Line. The Arizona Surge Line is a 24/7 toll-free statewide system activated 4/22/20 to keep hospitals and regions of Arizona from being overwhelmed by facilitating COVID-19 patient admission, transfer, and discharge to appropriate levels of care.

In preparation, our outpatient clinic staff has been cross-trained in inpatient patient care. To date we have trained 16 member of the healthcare workforce to manage patients in the hospital setting. Cross-training will allow us to increase the number of patients we can take care of on the inpatient unit. Please note that Sells hospital is not an intensive care unit, so we cannot take care of patients


with COVID-19 requiring intensive respiratory treatment. These patients would be transferred to intensive care units at other sites.

From 7/20/20 to 7/30/20 a critical care response team (CCRT) composed of doctors and nurses with critical/intensive care training arrived at TONHC to provide training in COVID-19 response care and ventilator management. As of 7/28/2020, 56 TONHC employees have been trained on ventilators and ventilator management. Visit evaluation was completed on 8/3/2020.

PUBLIC HEALTH NURSING – CONTACT TRACING


As of 9/8/2020 at 17:00, a total of 1,344 individual contact tracings have occurred in the Tohono O’odham Nation.

TONHC public health nursing conducts case investigation and contact tracing (involves interviewing). Case investigations are initiated on everyone who tests positive for COVID-19.



Contact tracing, a core disease control measure, is a key strategy for preventing further spread of COVID-19. Contact tracing is part of the process of supporting patients with suspected or confirmed infection. In contact tracing, public health nursing works with patients to help them recall everyone with whom they have had close contact during the timeframe in which they may have

been infectious. To protect patient privacy, contacts are only informed that they may have been exposed to a patient with the infection. They are not told the identity of the patient who may have exposed them. Contacts are provided with education, information, and support to understand their risk, what they should do to separate themselves from others who are not exposed, how to monitor themselves for illness, and the possibility that they could spread the infection to others even if they themselves do not feel ill.



Executive Order No. 2020-08 (7/2/20):

WHEREAS, COVID-19 cases continue to rise at an alarming rate in the state of Arizona, and surrounding hospitals, which the Nation rely on, are reaching maximum capacity. The Nation is also seeing an increased number of cases linked to community spread, which has put the health and safety of Nation’s members at heightened risk. Due to the increased threat to the health and safety of Nation’s members the Chairman, in consultation with Tohono O’odham Health Care COVID-19 Medical Team, has determined that Stay at Home orders must be reinstated.

NOW, THEREFORE BE IT RESOLVED, by the authority vested in the Chairman of the Nation, the Chairman restates the following orders, as amended:

1. The Human Resources *Return to Work – Standard Operating Procedures*, and any subsequent revisions, adopted by Executive Order No. 2020-05, remain in effect; all Executive Branch TONHC Situation Update 9/9/2020 7:00
Wear a mask, physically distance, and wash your hands to protect Tohono O’odham Nation

departments and programs must adhere to the minimum requirements set forth therein. Employees who fail to report to work when assigned are subject to disciplinary action under the Executive Branch Personnel Policies Manual; and

2. The Tohono O'odham Nation Unified Command *Guidelines: Wakes/Funerals*, and any subsequent revisions, adopted by Executive Order No. 2020-05, remain the minimum standards for all wakes and funeral held on the Nation until further notice. In addition:
 - a. Individuals in charge of/hosting wakes/funerals, or their designees, are responsible for ensuring all attendees comply with all social distancing and face covering requirements within this order, and as recommended by CDC.
 - b. All wakes and funerals held on the Nation shall be limited to one-day services only.
 - c. If necessary, district leadership is to implement additional standards; and
3. The Curfew for all Nation's residents, reinstated by Executive Order No. 2020-06, remains in effect until further notice. During the Curfew hours (9pm and 6am) residents shall remain home unless one of the following exceptions applies:
 - a. Individuals working at a business in operation during the curfew hours, or traveling to or from work;
 - b. Individuals patronizing or operating a business;
 - c. Individuals seeking medical care, or traveling to or from those services;
 - d. Individuals traveling to provide necessary care for another who cannot care for themselves; or
 - e. Individuals seeking safe harbor from a dangerous situation.
4. All playgrounds and sports areas, such as football fields, basketball courts, etc., shall remain closed until further notice, as order by Executive Order No. 2020-06; and
5. The following social distancing requirements, as order by Executive Order No. 2020-07, shall remain in effect, as amended here:
 - a. When leaving the home, physically distance yourself from others who do not reside in your household by maintaining a 6ft distance from others, when possible.
 - b. With the exception of persons residing in the same household, all social gatherings are hereby *prohibited* until further notice. "Social gatherings" shall include all events and activities held for social and/or community purposes. Religious services and traditional ceremonies are not considered social gatherings, however, any activities held in association with a religious services or ceremony for social purposes (i.e. gathering before/after for eating, drinking, dancing, socializing, etc.) are prohibited.
 - c. Individuals are *required* to wear face coverings in all public spaces where physical distancing is not possible.
 - i. "Public Spaces" means any place that is accessible by the general public (indoor and outdoor), including but not limited to: all governmental facilities, grocery stores, gas stations, convenience stores, post offices, establishments serving food or beverages, establishments offering recreational activities or entertainment and places that offer medical or health services or transportation to the general public.
 - ii. "Face masks or coverings" means cloth, fabric or other soft material that covers the nose and mouth. Coverings may be homemade or factory-made, or may be improvised from ordinary materials such as a scarf or bandana.
 - iii. *Limited Exceptions*. Face coverings are not required for children under the age of two (2), in accordance with CDC guidelines; individuals who should not wear face coverings due to medical conditions, mental health conditions, or developmental disabilities; or first responders where face covering would interfere with their duties.

- d. Individuals should wash hands and/or use hand sanitizer regularly, avoid touching their face, and disinfect frequently touched surfaces regularly.
 - e. Individuals are discouraged from unnecessary travel.
 - f. Individuals who become ill and demonstrate signs and symptoms related to COVID-19 should remain out of the public, however, are encouraged to seek treatment and testing.
6. Tribal enterprises and businesses, operating within the exterior boundaries of the Nation, are required to implement guidelines consistent with CDC Guidelines to protect the health and safety of employees and the general public, including requiring face coverings for employees and customers/visitors at all times in public spaces, (as amended by Executive Order No. 2020-06).

BE IT FURTHER RESOLVED, by the authority vested in the Chairman of the Nation, the Chairman hereby reinstates Stay At Home orders within the exterior boundaries of the Nation, effective immediately:

Individuals residing on the Nation:

- 1. All individuals who reside on the Nation are ordered to stay at home or at their place of residence, except as needed for employment, medical, health, safety, and food for themselves or their family members.
- 2. This section does not apply to employees or volunteers for essential services and businesses in operation that have been determined by the Nation, Districts, and entities on the Nation.

Entering the Tohono O’odham Nation:

- 1. Individuals and businesses are not allowed to enter the exterior boundaries of the Tohono O’odham Nation, except for:
 - a. Employees and volunteers of essential services on the Nation
 - b. Medical and healthcare providers
 - c. Deliveries of medicine, food, and other essential items
 - d. Public and private transportation services necessary for the health and safety needs of the individuals on the Nation
 - e. Mail services
 - f. Financial services
 - g. To patronize a business in operation
 - h. Businesses that provide maintenance services that are necessary to maintain the health and safety of the households or buildings on the Nation
 - i. Other necessary professional services as needed
- 2. Businesses and others entering districts for the purpose of providing services or delivering supplies must provide notice to Districts before entering.

BE IT FINALLY RESOLVED, that the Chairman of the Nation strongly urge religious leaders of every denomination practicing within the exterior boundaries of the Nation to suspend in-person services, and instead find other ways to spread their messages in a safe manner during this health pandemic. Mask requirements remain applicable to all religious services, in accordance with order. Additionally, all CDC Guidelines should be adhered to, including by not limited to social distancing, hand washing or hand sanitizing stations readily available, frequent disinfecting of facilities/communal spaces, etc.

ORDERED this 2nd Day of July, 2020 in Sells, Arizona.



Tohono O'odham Nation: Leadership Update 30

COVID-19 Response Summary

Unified Command

Current and Planned Objectives:

- Identify, assign, and monitor task forces/workgroups to perform gap analysis, resource assessment, contingency planning, partner outreach, and other tasks as required
- Maintain oversight of PPE resource management by acquiring, monitoring, tracking, distributing resource assets, and storing for future needs
- In partnership with key stakeholders, develop, implement, and update plans/processes/protocols for gradually and strategically returning the workforce and reopening of businesses while protecting public health and slowing the spread of COVID-19.
- Maintain global, national, and state situational awareness of COVID-19 outbreak impacts and any surge in cases that might come from the border environment.
- Develop, implement, update plans for Alternate Care Sites (ACS) non-congregate and congregate facilities to increase the capacity for housing potential COVID-19 positive patients. Low level medical needs.
- Develop, implement, update processes, procedures, and policies to support decision making authority for the Unified Command, stakeholders, Policy Group
- Maintain continuous coordination with TON-HC Hospital and Clinic locations for operational support thru the Unified Command
- Maintain operational communications with internal and external stakeholders
- Integrate best practices and up-to-date safety guidance for the first responder community, healthcare/medical community, supporting personnel, and stakeholders
- Establish consistent community messaging and education to internal/external stakeholders
- Maintain an up-to-date financial and cost analysis of incident-related expenditures and provide updates to senior leadership

Command Emphasis:

- Realign planning efforts and activities to support TON-HC Flu vaccination plans from September moving forward
- Operational functions - teams that have been stood up in support of the COVID-19 response will be assessed to determine need for either continual sustainment or demobilization. Transitional plans will be developed for elements that will be sustained or phased out.
- The Unified Command will continue to coordinate with external partners and agencies to achieve operational objectives.
- Ensure all orders for PPE requests are synchronized, tracked and distributed. EOC resource orders must be submitted using a 213-RR and submitted via eoc@tonation-nsn.gov
- Integrate additional stakeholders to operational briefings with the intent to foster a common operating picture and enhance working partnerships
- Maintain COVID-19 situational awareness of impacts, response actions, and gap analysis for effective support
- Identification and assessment of staffing and supply needs for alternate care sites
- In addition to the COVID-19 pandemic public safety will still need to coordinate response to day-to-day (LE, Fire, EMS)
- The Unified Command must acknowledge and recognize sensitive political, legal, and security issues and develop strategies and or solutions to help establish: clear lines of authority, accountability procedures, personnel relief and rehabilitation, situational awareness, environmental conditions
- Avoid "tunnel vision"; stress causes people to focus narrowly on the things they consider most important and it may be the wrong thing for the given time.
- Ensure the accountability of deployed personnel/equipment that receive work assignments thru the EOC
- Keep the Policy Group and senior leadership adequately informed
- Sustain an operational battle rhythm, to include Planning P methodologies, Incident Action/Coordination/Support Planning
- Coordinate unified public messaging with all partner agencies



Tohono O'odham Nation: Leadership Update 30

COVID-19 Response Summary

Strategic Actions:

- Tuesday, August 11, 2020, the Unified Command conducted its 4th Drive-Thru Mask Distribution, the distribution was held in North Komelik from 9:00am – 12:00pm.
- Thursday, August 13, 2020, TON-HC and Unified Command conducted a COVID-19 Drive-Thru Testing at the Santa Rosa Health Center from 8:00am – 1:00pm
- Friday, August 21, 2020, the Unified Command conducted its 5th Drive-Thru Mask Distribution, this week the distribution was held in Baboquivari District at the Cultural Center & Museum from 9:00am – 12:00pm.
- TON-HC and Unified Command continue to coordinate in supporting the COVID-19 cases. UC Task Force Leader communicates with TON-HC if patient(s) need to be housed in an Alternate Care Sites.
- Unified Command Distribution Team continues in filling resource requests from approved 213-RR's.
- Unified Command Compliance Team continues to monitor the department's compliance with all required safety precautions and assist departments with implementing safety measures.
- Unified Command continues with planning efforts through the State for testing support.
- On Friday, September 18, 2020, TONHC, Unified Command and in partnership with Passport Health USA will be conducting a Flu Clinic from 3:00pm – 6:00pm at the Sells Bashas Plaza.

Public Information:

- Video: Social Media, social distance demonstration
- Video: Social Media, Labor Day Weekend Messaging
- PSA Excessive Heat Warning
- Social Media: Mask Up and Distance
- PSA Flu Clinic (TONHC)
- PSA Stress Management (TONHC)
- Project: Handwashing and Food
- Project: Social Distancing
- Project: Coloring Book for Kids
- Project: Banners
- On-going graphic development

State of Arizona:

September 1, 2020 – Governor Ducey issued E.O. 2020 – 53, *Driver License Renewals for Arizonans 65 or Older Amending and Extending Order 2020 – 08 order*

September 8, 2020 – Governor Ducey issued E.O. 2020 – 54, *Enhanced Surveillance Advisory - Monitoring The Spread of COVID-19*



Tohono O'odham Nation: Leadership Update 30

COVID-19 Response Summary

Pursuant to the Enhanced Surveillance Advisory, all licensed hospitals as defined in A.A.C. Excluding Special Hospitals only providing psychiatric services, shall report through EMResource or alternative form to the Arizona Department of Health Services every twenty-four hours:

- Number of inpatient influenza positive patients or patients with suspected influenza;
- Number of ventilators in use by influenza positive patients or patients with suspected influenza;
- Number of ICU beds in use by influenza positive patients or patients with suspected influenza;
- Number of influenza positive patients or patients with suspected influenza seen in the Emergency Department per day.

Wildfires:

Flash, Gila County - Size: 51 acres / Containment: 100%

Lofer, White Mountain Apache Reservation - Size: 1,256 acres / Containment: 65%
<https://inciweb.nwcg.gov/incident/7093/>

Hidden, Gila County - Size: 6,100 acres / Containment: 74% <https://inciweb.nwcg.gov/incident/7094/>

Additional Online Resources:

Arizona data: [Arizona Department of Health Services](#)

Resilient Arizona Crisis Counseling Program: <https://resilientarizona.org/>

Global data: [Center for Systems Science AZ Engineering at John Hopkins University](#)

National guidance: [Centers for Disease Control and Prevention](#)

The COVID-19 Hotline 2-1-1: 211arizona.org

Resources for Arizonans: <https://arizonatogether.org/>

AZ Executive Orders (COVID-19): [Arizona Executive Orders](#)



Tohono O'odham Nation: Leadership Update 30

COVID-19 Response Summary

Community Lifelines:

The Unified Command conducted the following food distributions for Districts and OIM (O'odham in Mexico). The distribution included the following contents:

21st Distribution - COVID 19 - 08/13/20			
Shamrock - 11 DISTRICTS & OIM**			
OIM	District	Description	Unit Case/Size/Unit
2	2	HAND SANITIZER	1/6/GAL
2	2	BLEACH	1/6/GAL
1	1	CLEANER, AP ORNG RTU	6/32/OZ
1	2	TISSUE, BATH CORELESS 2PLY	36/1000/PK
1	2	SHORTENING, SOLID ALL VEG ZTF	6/6/LB
1	1	SALSA, CHILE DE FRESCA JALP	12/27/OZ
2	2	BEEF, STEW 1/4" FZN	4/5/LBAV
1	2	CEREAL, OATMEAL QUICK TUBE	12/42/OZ
2	2	CLEANER, DISINFECTANT TB	12/32/OZ
1	2	WET WIPE, CLEANING TABLE TURNER	12/80/PK
1	2	PANCAKE MIX, BTRMLK	6/5/LB
1	2	BISCUIT MIX, BTRMLK	6/5/LB
1	2	PASTA, SPAGHETTI IMP	20/1/LB
1	1	BEAN, PINTO PREWASHED	1/50/LB
1	1	RICE, LONG GRAIN WHT 4% BRKN	1/50/LB
2	2	FLOUR, AP H&R	2/25/LB
1	2	BREAD, WHITE ROUNDTOP 1/2" BKD FZN	14/20/OZ
1	2	PEAS, SPLIT GRN	1/20/LB
1	2	BEAN, LIMA BABY	1/20/LB
3	3	JUICE, GRAPE WHT 100% BOX W-STRAW	40/4.23/OZ
3	3	JUICE, FRUITABLE PLUS POWER PUNCH	36/6.75/OZ
1	2	SYRUP, MAPLE FLVR PC CUP 1.5Z	200/1.5/OZ
2	2	APPLESAUCE, CUP STRAWBRY UNSWTND 4.5Z	1/96/PK
250	500	LID, PLS DELI RND 8Z-32Z TRANSL	1/500/PK
N/A	250	CONTAINER, PLS DELI RND 16Z CLR	10/50/PK
250	250	CONTAINER, PLS DELI RND 32Z CLR	20/25/PK
1000	1	SURGICAL MASKS	1/2000/CT
1	1	FACIAL TISSUE	CASE
6	10	CONTAINERS W/LID, GAL	EA
1	2	CHEESE, AMER SLI 120CT	4/5/LB
2	2	BACON, SGL HNY CURED 14-16 SLI FZN	1/15/LB
2	2	EGG, FRESH MED AA LOOSE 1/2 CS	1/15/DZ
2	2	BACON, SGL HNY CURED 14-16 SLI FZN	1/15/LB
1	2	BEEF, TOP RND CAP OFF SLI .66	4/2.5/LB



Tohono O'odham Nation: Leadership Update 30

COVID-19 Response Summary

22nd Distribution - COVID 19 - 08/20/20			
Shamrock - 11 DISTRICTS & OIM**			
OIM	District	Description	Unit Case/Size/Unit
1	2	DETERGENT, LAUNDRY PWDER	1/45/LB
1	2	SANITIZER, HARD SURFACE REDI-SAN	6/32/OZ
1	2	TISSUE, BATH CORELESS 2PLY	36/1000/PK
3	3	SOUP, CHIC NOODLE TRU	24/7.25/OZ
2	2	SOUP, TOMATO RTU LS	24/7.25/OZ
1	2	APPLE, GALA FUJI WXFCY	1/150/CT
1	2	ORANGE, CHOICE 138 CT	1/138/PK
2	2	POTATO, RUSSET 70CT	1/50/LB
1	1	BEAN, PINTO PREWASHED	1/50/LB
1	2	BREAD, WHITE ROUNDTOP 1/2" BKD FZN	14/20/OZ
1	2	BEAN, LIMA BABY	1/20/LB
1	2	PEAS, SPLIT GRN	1/20/LB
1	2	APPLESAUCE, CUP UNSWTND 4.5Z	1/96/PK
1	1	BREAKFAST MEAL, HNY GRAHAM SQ WG	1/72/PK
1	1	BREAKFAST MEAL, COCOA PUFFS WG	1/60/PK
1	2	CEREAL, FROOT LOOPS	4/31/OZ
1	2	CEREAL, HNY NUT TSTD OATAS	4/35/OZ
1	2	BROWNIE, CHOC PERUVIAN MANIFESTO IW	48/2.88/OZ
1	2	CHIP, POTATO	104/1/OZ
1	2	CHIP, TORTILLA COOL RANCH	104/1/OZ
1	2	BAG, STORAGE GAL RECLOSABLE	1/250/PK
1	1	BAG, STORAGE QT RECLOSABLE	1/500/PK
3	3	JUICE, FRUITABLE PLS POWER PUNHC	36/6.72/OZ
3	3	JUICE, GRAPE WHT 100% BOX W-STRAW	40/4.23/OZ
1	2	EGG, FRESH MED AA LOOSE 1/2 CS	1/15/DZ
1	2	CHEESE, AMER SLI 120CT	4/5/LB
1	2	HAM, HCY CURE WA SLI .66Z CKD FRSH	4/2.5/LB
1	2	BACON, SGL HNY CURED 14-16 SLI FZN	1/15/LB
1	2	SAUSAGE PTY CKD 2Z	1/10/LB
1	2	TORTILLA, CORN 6.5" 10Z YLW FZN	8/5/DZ



Tohono O'odham Nation: Leadership Update 30

COVID-19 Response Summary

23rd Distribution - COVID 19 - 08/27/2020			
Shamrock - 11 DISTRICTS & OIM**			
OIM	District	Description	Unit Case/Size/Unit
1	2	APPLE, GALA FUJI WXFCY	1/150/CT
1	2	ORANGE, CHOICE 138 CT	1/138/PK
1	2	POTATO, RUSSET 70CT	1/50/LB
1	2	ONION, YLW JMBO #2	1/50/LB
1	2	CEREAL, OATMEAL QUICK TUBE	12/42/OZ
1	2	CLEANER, AP ORNG RTU	6/32/OZ
1	2	CLEANER, DISINFECTANT TB	12/32/OZ
1	2	TISSUE, BATH CORELESS 2PLY	36/1000/PK
1	2	DETERGENT, WAREWASH POT & PAN LEMON	4/1/GL
1	2	LENTIL, GRN TO BRN DEPENDING ON SEASON	1/20/LB
1	2	PEAS, SPLIT GRN	1/20/LB
1	2	PASTA, ELBOW MACARONI BULK	3/10/LB
1	2	COFFEE, COLOMBIAN 100% 2.5Z	64/2.5/OZ
1	2	TEA BAG, HOT	10/100/PK
1	2	CHIP, TORTILLA NACHO CHSE LSSRV	64/1.75/OZ
1	2	SNACK, CHEETOS CRUNCHY LSS	64/2/OZ
1	2	BREAD, WHEAT ROUNDTOP 1/2" BKD FZN	14/20/OZ
1	2	PUDDING, CHOC SF 3.25Z	48/3.25/OZ
1	2	PUDDING, VANILLA SF CUP	48/3.25/OZ
1	2	JUICE, ORANGE CRTN 100%	70/4/OZ
1	2	JUICE, FRUITABLE PLUS POWER PUNCH	36/6.75/OZ
1	2	PEANUT BUTTER, CRMY .75Z	200/.75/OZ
1	2	JELLY, ASSORT #4 PC CUP .5Z	200/.5/OZ
1	2	EGG, FRESH MED AA LOOSE 1/2 CS	1/15/DZ
1	2	HAM, HNY CURE WA SLI .66Z CKD FRSH	4/2.5/LB
1	2	CHEESE, AMER SLI 120CT	4/5/LB
1	2	BEEF, DICED 1/2" RTC	4/5/LB
1	2	BAGEL, MINI W-STRAWBRY CRM CHSE WG IW	72/2.43/OZ
1	1	CHICKEN, POPCORN WG BRD FC CN NOI	4/8/LB
1	1	BEEF, PTY CHRBRD CKD VPP CN	90/2.5/OZ



Tohono O'odham Nation: Leadership Update 30

COVID-19 Response Summary

24th Distribution - COVID 19 - 09/03/2020			
Shamrock - 11 DISTRICTS & OIM**			
District	OIM	ITEM DESCRIPTION	UNIT
2	1	BEAN, PINTO PREWASHED	1/50/LB
2	1	SNACK BAR, GRANOLA CHWY TRAIL MIX	6/12/PK
2	1	TRAIL MIX, NUT & CHOC	72/2/OZ
2	1	TRAIL MIX, NUT & FRUIT	72/2/OZ
2	1	APPLESAUCE, CUP UNSWTND 4.5Z	1/96/PK
2	1	JERKY, BEEF ORIG	48/.9/OZ
2	1	JERKY, BEEF TERIYAKI RS	48/.85/OZ
2	1	CEREAL, OATMEAL QUICK TUBE	12/42/OZ
2	1	PEANUT BUTTER, CRMY .75Z	200/.75/OZ
2	1	CHILIES, GRN STRIP	12/28/OZ
2	1	SALSA, CHILE DE FRESCA 27Z	12/27/OZ
2	1	TORTILLA, CORN 6.5" WHT FZN	8/60/PK
2	1	EGG, FRESH MED AA LOOSE 1/2 CS	1/15/DZ
2	1	BREAD, WHITE ROUNDTOP 1/2" BKD FZN	14/20/OZ
2	1	APPLE, GALA FUJI WXFCY	1/150/CT
2	1	POTATO, RUSSET 70CT	1/50/LB
2	1	CARROT, JMBO #1	1/25/LB
2	1	CORN, BI-COLOR HUSK	1/48/PK
2	1	APPLE, GRNYSMTH XFCY 113	1/113/PK
1	1	PICKLE, DILL WHL 75-85 CT	1/5/GL
2	1	SQUASH, ZUCCHINI MED 20-24LB	1/22/LB
2	1	ORANGE, CHOICE 113CT IMP	1/113/PK
2	1	CLEANER, HARD SURFACE PINE	4/1/GL
2	1	BLEACH, LIQ 6.15% FOOD SRV EPA	4/96/OZ
2	1	BOTTLE, PLS 16Z SQ CLR	1/98/PK
2	1	CLEANER, GEL PRO	12/16/OZ
1	1	BAG, STORAGE QT RECLOSABLE	1/500/PK
2	2	BAG, STORAGE GAL RECLOSABLE	1/250/PK
2	1	CLEANER, DISINFECTANT TB	12/32/OZ
2	1	WET WIPE, CLEANING TABLE TURNER	12/80/PK
2	1	TISSUE, BATH CORELESS 2PLY	36/1000/PK
196	196	CAP, RIBBED TAMPER EVIDENT WHT	1/144/PK
Approx. 28	WATERMELON		EA
4	4	WHOLE BERRY CRANBERRY	CASE
13	17	FOOD BOXES	EA
4	1	FROZEN CHICKEN STRIPS	BOX
2000	2000	SURGICAL MASKS	EA
4	2	HAND SANITIZER	1/6/GAL
4	2	BLEACH	1/6/GAL

Note: Most of the watermelon spoiled and did not get distributed to most of the districts.



Tohono O'odham Nation: Leadership Update 30

COVID-19 Response Summary

25th Distribution - COVID 19 - 09/10/2020			
Shamrock - 11 DISTRICTS & OIM**			
OIM	District	ITEM DESCRIPTION	UNIT
2	2	TISSUE, BATH CORELESS 2PLY	36/1000/PK
1	2	CLEANER, DISINFECTANT TB	12/32/OZ
1	2	CLEANER, HARD SURFACE PINE	4/1/GL
1	2	DETERGENT, WAREWASH POT & PAN LEMON	4/1/GL
3	3	BEAN, WHT SM	1/20/LB
2	2	SOUP, CHICK NOODLE RTU	24/7.25/OZ
1	1	SOUP, TOMATO RTU LS	24/7.25/OZ
2	2	FLOUR, AP H&R	2/25/LB
1	2	PANCAKE MIX, BTRMLK	6/5/LB
1	2	WET WIPE, CLEANING TABLE TURNER	12/80/PK
2	4	MILK, 1% ORGANIC UHT SHELF STABLE	18/8/OZ
1	2	BROTH, CHICK	12/49/OZ
1	1	RICE, LONG GRAIN WHT 4% BRKN	1/50/LB
1	2	BREAD, WHITE ROUNDTOP 1/2" BKD FZN	14/20/OZ
1	2	POPCORN, KETTLE	90/1/OZ
1	2	POPCORN, UNPOPPED W-OIL	36/8/OZ
1	1	CRACKER, GOLDFISH CHDR BKD WG COLORS	300/.75/OZ
1	1	CRACKER, SALTINE PREM 16Z	12/16/OZ
1	2	JUICE, ORANGE CRTN 100%	70/4/OZ
1	2	JUICE, GRAPE 100% W-VIT C PAPER CRTN	70/4/OZ
1	2	COFFEE, COLOMBIAN 100% 2.5Z	64/2.5/OZ
1	2	CREAMER, FRENCH VANILLA ASEPTIC PC	1/288/PK
1	2	CREAMER, HAZELNUT ASEPTIC PC	1/288/PK
1	2	CEREAL, CHEERIOS	4/29/OZ
1	2	CEREAL, FROOT LOOPS	4/31/OZ
1	2	SYRUP, MAPLE FLVR PC CUP 1.5Z	200/1.5/OZ
5/SL	5/SL	CONTAINER, PLS DELI RND 16Z CLR	10/50/PK
10/SL	10/SL	CONTAINER, PLS DELI RND 32Z CLR	20/25/PK
1	1	LID, PLS DELI RND 8Z-32Z TRANSL	1/500/PK




Tohono O'odham Nation: Leadership Update 30

COVID-19 Response Summary

Weather:

Warmer temperatures today with highs back returning to near normal. Skies will be hazy due to smoke from California wildfires.



Today	Tonight	Saturday	Saturday Night	Sunday	Sunday Night	Monday	Monday Night	Tuesday
Haze	Clear	Sunny	Clear	Sunny	Mostly Clear	Sunny	Mostly Clear	Sunny
High: 94 °F	Low: 68 °F	High: 98 °F	Low: 70 °F	High: 99 °F	Low: 72 °F	High: 99 °F	Low: 72 °F	High: 98 °F

Today: Widespread haze between 11am and 2pm. Sunny, with a high near 94. Northeast wind 5 to 9 mph becoming west in the afternoon.

Tonight: Clear, with a low around 68. North northwest wind 5 to 8 mph becoming east after midnight.

Saturday: Sunny, with a high near 98. East northeast wind 6 to 9 mph becoming west in the afternoon.

Saturday Night: Clear, with a low around 70. West northwest wind 6 to 8 mph becoming east southeast after midnight.

Sunday: Sunny, with a high near 99. East wind around 7 mph becoming north in the afternoon.

Sunday Night: Mostly clear, with a low around 72.

Monday: Sunny, with a high near 99.

Monday Night: Mostly clear, with a low around 72.

Tuesday: Sunny, with a high near 98.

Tuesday Night: Mostly clear, with a low around 70.

Wednesday: Sunny, with a high near 98.

Wednesday Night: Mostly clear, with a low around 71.

Thursday: Sunny, with a high near 98.



Tohono O'odham Nation: Leadership Update 30

COVID-19 Response Summary

Monday September 14 - Sunday September 20: Showers and storms will remain possible early next week, but warm and dry weather should prevail much of the week. Karina and Lowell may form well to our south next week, but we'll have to wait until the following week to see if we stand any chance of tropical moisture boosting our monsoon rainfall totals.

National Hurricane Center and Central Pacific Hurricane Center: <https://www.nhc.noaa.gov/?epac>

- Shower activity associated with a low pressure area located about 400 miles southwest of the southern tip of the Baja California peninsula remains minimal. Some development of this system, however, is still possible during the next day or two before it interacts with, and possibly becomes absorbed by, a larger weather disturbance to its east-southeast.
- A broad area of low pressure located several hundred miles south-southwest of the coast of southwestern Mexico continues to produce a large area of disorganized showers and thunderstorms. Environmental conditions appear conducive for development of this system, and a tropical depression is likely to form over the weekend or early next week while the system moves west-northwestward at 10 to 15 mph away from the coast of Mexico.

